ANA and ANCA Testing Change

UNIVERSITY HEALTH SYSTEM

Starting 9/14/2021, Antinuclear antibodies (ANA) and antineutrophil cytoplasmic antibodies (ANCA) testing will be performed using a new system.

See examples of new reports.

leutrophil Cytopla ollected: 8/3/2021 06:1) Result Notes NCA Interpretation esulting Agency	5 Status: Final result Vi	ge & Units	heduled for 8/3/2021 7:00 PM) 8/3/21 0615 Negative SUNY Upstate Med Univ Clin Pathology	() Neutrop	Ref Range & Unit tation Negative attern	: No (not released)
ollected: 8/3/2021 06:1) Result Notes	5 Status: Final result Vi Ref Rang	ge & Units	8/3/21 0615	Neutrop Collected: 8/3/ 0 Result N ANCA Interpre ANCA Titer 1 ANCA Titer 1	2021 03:00 Status: Final result Visible to patient: lotes Ref Range & Unit tation Negative attern	: No (not released) ts 8/3/21 0300 Positive ! 1:20 p-ANCA pattern
ollected: 8/3/2021 06:1	5 Status: Final result Vi			© Neutrop Collected: 8/3/ 0 Result N ANCA Interpre	2021 03:00 Status: Final result Visible to patient: lotes Ref Range & Unit	: No (not released) ts 8/3/21 0300 Positive !
ollected: 8/3/2021 06:1		isible to patient: No (sc	heduled for 8/3/2021 7:00 PM)	Neutrop Collected: 8/3/ 0 Result N	2021 03:00 Status: Final result Visible to patient: lotes Ref Range & Unit	: No (not released) ts
		isible to patient: No (sc	heduled for 8/3/2021 7:00 PM)	Neutrop Collected: 8/3/	2021 03:00 Status: Final result Visible to patient:	
leutrophil Cytopla	asmic Antibody			() Neutrop		
EEE & Lab Flow	vsheet 20 Order Details 1	View Encounter I Lab a	nd Collection Details 🧐 Result History	Specimen Col	ected: 08/03/21 07:00	Last Resulted: 08/03/21 12:23
(T	5	No. No.		Resulting Age	ncy	SUNY Upstate Med Univ Clin Patho
pecimen Collected		Last Resulted: 07/30/2	21 15:00	ANA Titer 3 P	attern	Nuclear Dots Noted
esulting Agency		SUNY Upstate Med	Univ Clin Pathology	ANA Titer 3	attern	1:320
NA,Nucleolar pattern	<80 /(dilution)	<80		ANA Titer 2 ANA Titer 2 P	attorn	1:160 Centromere
eripheral Pattern	<80 1/dil	<80		ANA Titer 1 P	attern	Speckled
peckled Pattern	<80 1/dil	320 ^		ANA Titer 1		1:80
lomogeneous Pattern	<80 /(dilution)	<80		ANA Interpre	Negative	Positive !
	Ref Range & Units	7/29/21 1115			Ref Range & Unit:	s 8/3/21 0700
0 Result Notes				0 Result	Jotes	
ollected: 7/29/2021 11:15 St	atus: Final result Visible to	patient			tinuclear Antibody 2021 07:00 Status: Final result Visible to patie	nt: No (scheduled for 8/3/2021 7:00 PM)

For questions, please contact the Immunology Laboratory at 315-464-6764