Monkeypox Virus Testing



- □Starting 8/8/2022, testing for non-variola Orthopoxvirus DNA should be ordered using Monkeypox (Orthopoxvirus) PCR (Send Out), LAB9791
- ☐ Specimen collection kits and instructions are available at both Downtown Campus and Community Campus
 - Downtown: Microbiology (464-4459)
 - Community Campus: Laboratory (492-5531)



Monkeypox (Orthopoxvirus) PCR (Send Out)		
rus: Final result Visible to patien	t; Yes (not seen)	
rom lesion (specimen)		
Ref Range & Units	Value	Comments
	Lesion Swab	
Not Detected	Detected !	Non-variola
		Orthopoxvirus DNA
		detected by real-time
		PCR.
	Performed by LabCorp, 1447 York Court,	
	Burlington, NC 27215	
	UPSTATE MOLECULAR DIAGNOSTICS	
08:00	Last Resulted: 08/01/22 10:59	
	tus: Final result Visible to patien rom lesion (specimen) Ref Range & Units Not Detected	tus: Final result Visible to patient: Yes (not seen) rom lesion (specimen) Ref Range & Units Value Lesion Swab Not Detected Detected ! Performed by LabCorp, 1447 York Court, Burlington, NC 27215 UPSTATE MOLECULAR DIAGNOSTICS

Monkeypox (Orthopoxvirus) PCR (Send Out) Collected 8/1/2022 10:30 Status: Final result Visible to patient: Yes (not seen)		Order: 3800874	
Specimen Information: Swab fi		, res (not seen)	
	, , , , , , , , , , , , , , , , , , ,		
0 Result Notes			
Component	Ref Range & Units	Value	Comments
Specimen Source		Lesion Swab	
Orthopoxvirus DNA Not Detected	Not Detected	Not Detected	Non-variola
			Orthopoxvirus DNA not
			detected by real-time
			PCR.
Performing Lab		Performed by LabCorp, 1447 York Court,	
	Burlington, NC 27215		
Resulting Agency		UPSTATE MOLECULAR DIAGNOSTICS	
Specimen Collected: 08/01/22	10.20	Last Resulted: 08/01/22 11:08	